

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS

P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

ATTORNEY DOCKET NO. CONFIRMATION NO.

040348 4588

10/710,589

APPLICATION NO.

07/22/2004

FILING DATE

FIRST NAMED INVENTOR

Tadashi NAKATANI

23850

7590

09/20/2006

ARMSTRONG, KRATZ, QUINTOS, HANSON & BROOKS, LLP 1725 K STREET, NW

SUITE 1000

WASHINGTON, DC 20006

EXAMINER ROJAS, BERNARD

PAPER NUMBER

ART UNIT

DATE MAILED: 09/20/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

| Office Action Summary   |   | Applicatio  | n No.  | Applicant(s)  |        |  |
|---|---|---|--|---|--------|--|
|   |   | 10/710,589  | 9  | NAKATANI ET AL.   |        |  |
|   |   | Examiner  |  | Art Unit  |        |  |
|   |   | Bernard Ro  |  | 2832  |        |  |
| Period fo   | The MAILING DATE of this communication ap<br>or Reply   | pears on the  | cover sheet with the   | correspondence ac   | ddress |  |
| WHIC<br>- Exte<br>after<br>- If NC<br>- Failu<br>Any  | ORTENED STATUTORY PERIOD FOR REPL<br>CHEVER IS LONGER, FROM THE MAILING D<br>nsions of time may be available under the provisions of 37 CFR 1.1<br>SIX (6) MONTHS from the mailing date of this communication.<br>O period for reply is specified above, the maximum statutory period<br>re to reply within the set or extended period for reply will, by statute<br>reply received by the Office later than three months after the mailing<br>and patent term adjustment. See 37 CFR 1.704(b). | OATE OF THE<br>136(a). In no ever<br>will apply and will<br>e, cause the appli              | IS COMMUNICATIO<br>nt, however, may a reply be ti<br>expire SIX (6) MONTHS fron<br>cation to become ABANDONE | N.<br>mely filed<br>n the mailing date of this c<br>ED (35 U.S.C. § 133). | ,      |  |
| Status  |   |   |  |   |        |  |
| 1)[\inf   | Responsive to communication(s) filed on 22 J  | lune 2006   |  |   |        |  |
|   | This action is <b>FINAL</b> . 2b) This action is non-final.   |   |  |   |        |  |
| ,   | ·—  | on is in condition for allowance except for formal matters, prosecution as to the merits is |  |   |        |  |
| ٥,۵   | closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.   |   |  |   |        |  |
| Dispositi   | ion of Claims   | •   |  |   |        |  |
| •   | I)⊠ Claim(s) <u>1-16</u> is/are pending in the application.   |   |  |   |        |  |
| •   | 4a) Of the above claim(s) <u>3,15 and 16</u> is/are withdrawn from consideration.   |   |  |   |        |  |
|   | Claim(s) is/are allowed.  |   |  |   |        |  |
|   | Claim(s) <u>1,2 and 4-14</u> is/are rejected.   |   |  |   |        |  |
| -   | Claim(s) <u>1,2 and 4-14</u> Israre rejected.  Claim(s) is/are objected to.   |   |  |   |        |  |
| ·   | · <u>_</u>  |   |  |   |        |  |
| ٥/١   | are subject to restriction and/o  | or cicolion re  | quirement.   |   |        |  |
| Applicati   | on Papers   |   |  |   |        |  |
| 9)☐ The specification is objected to by the Examiner.   |   |   |  |   |        |  |
| 10) The drawing(s) filed on is/are: a) accepted or b) diplected to by the Examiner.   |   |   |  |   |        |  |
| Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).                       |   |   |  |   |        |  |
| Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).      |   |   |  |   |        |  |
| 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.                  |   |   |  |   |        |  |
| Priority ι  | ınder 35 U.S.C. § 119   |   |  |   |        |  |
| 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) All b) Some * c) None of: |   |   |  |   |        |  |
|   | <ul> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> </ul>   |   |  |   |        |  |
|   | Copies of the certified copies of the priority documents have been received in Application No      Copies of the certified copies of the priority documents have been received in this National Stage   |   |  |   |        |  |
|   | application from the International Bureau (PCT Rule 17.2(a)).   |   |  |   |        |  |
| * See the attached detailed Office action for a list of the certified copies not received.                                    |   |   |  |   |        |  |
|   | see the attached detailed office action for a list  |   | ed copies not receiv   | ou.   |        |  |
| Attachmen   | t(s)  |   |  |   |        |  |
|   | e of References Cited (PTO-892)   |   | 4) Interview Summary   | v (PTO-413)   |        |  |
| 2) Notic  | e of Draftsperson's Patent Drawing Review (PTO-948)   |   | Paper No(s)/Mail D   | Date  |        |  |
|   | mation Disclosure Statement(s) (PTO-1449 or PTO/SB/08 or No(s)/Mail Date  | ,   | 5) Notice of Informal 6) Other:  | Patent Application (PT  | O-152) |  |

Art Unit: 2832

#### **DETAILED ACTION**

### Response to Arguments

Applicant's arguments filed 06/22/2006 have been fully considered but they are not persuasive.

Aigner discloses that the claimed extending part includes a body [figure 1] having an electrode carrying surface [21,22] on a side opposite to the base substrate and that the movable contact conductor [71,72] is provided on the electrode carrying surface of the extending part.

Applicant states that a significant structural arrangement of the claimed invention further includes the first driving electrode being formed on the electrode carrying surface of the extending part separately from the body. Aigner discloses a structure in which the extending part of the body and the electrode are integrally formed. There are various possible MEM driving electrode / movable body configurations. Yao [US 5,578,976] discloses a MEM switch in which the first driving electrode [24] is formed separately from the extending part of the body [20]. It would have been obvious to one having ordinary skill in the art at the time the invention was made to form the first driving electrode of Aigner separately from the body of the movable portion as shown by Yao since it has been held that constructing a formerly integral structure in various elements involves only routine skill in the art. *Nerwin v. Erlichman*, 168 USPQ 177, 179.

## Claim Rejections - 35 USC § 103

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1, 2 and 4-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Aigner et al. [US 6,734,770] in view of Yao [US 5,578,976].

Claim 1, Aigner et al. discloses a micro-switching device comprising a base substrate [1]; a movable portion [9] including an anchor part [4] and an extending part, the anchor part being connected to the base substrate, the extending part extending from the anchor part and facing the base substrate, wherein the extending part comprises a body having an electrode carrying surface [21,22] on a side opposite to the base substrate; a movable contact conductor [71, 72] provided on the electrode carrying

surface of the extending part; a first stationary contact electrode [31a, 32a] fixed to the base substrate and including a first contacting part facing the movable contact part; and a second stationary contact electrode [31b, 32b] fixed to the base substrate and including a second contacting part facing the movable contact part [figures 1 and 2]; and a first driving electrode [6] on the movable portion.

Page 4

Aigner fails to teach that the first driving electrode is formed on the electrode carrying surface of the extending part separately from the body of the movable portion.

Yao discloses a MEM switch with a first driving electrode [24] formed separately from the body [20] of the movable portion.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to form the first driving electrode of Aigner separately from the body of the movable portion as shown by Yao since it has been held that constructing a formerly integral structure in various elements involves only routine skill in the art. *Nerwin v. Erlichman*, 168 USPQ 177, 179.

Claim 2, Aigner et al. discloses the micro-switching device according to claim 1, further comprising a second driving electrode [51, 52] fixed to the base substrate and including a section facing the first driving electrode.

Claim 4, Aigner et al. discloses the micro-switching device according to claim 1, wherein the extending part is made of monocrystalline silicon [col. 3 line 62 to col. 4 line 10].

Claim 7, Aigner et al. discloses a micro-switching device comprising a base substrate [1]; a movable portion [9] including an anchor part [4] and an extending part,

the anchor part being connected to the base substrate, the part extending from the extending anchor part and facing the base substrate; wherein the extending part comprises a body having an electrode carrying surface [21,22] on a side opposite to the base substrate; a stationary member [2, 11] connected to the base substrate; a movable contact conductor [71, 72] provided on the electrode carrying surface of the extending part; a first stationary contact electrode [31a, 32a] connected to the stationary member and including a first contacting part facing the movable contact part; a second stationary contact electrode [31b, 32b] connected to the stationary member and including a second contacting part facing the movable contact part [figures 1 and 2]; and a first driving electrode [6] on the movable portion.

Aigner fails to teach that the first driving electrode is formed on the electrode carrying surface of the extending part separately from the body of the movable portion.

Yao discloses a MEM switch with a first driving electrode [24] formed separately from the body [20] of the movable portion.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to form the first driving electrode of Aigner separately from the body of the movable portion as shown by Yao since it has been held that constructing a formerly integral structure in various elements involves only routine skill in the art. Nerwin v. Erlichman, 168 USPQ 177, 179.

Claim 8, Aigner et al. discloses the micro-switching device according to claim 7, wherein the stationary member is spaced away from the movable portion [figures 1 and 2].

Claim 9, Aigner et al. discloses the micro-switching device according to claim 7, wherein the stationary member surrounds the movable portion [figure 1].

Claim 10, Aigner et al. discloses the micro-switching device according to claim 7, wherein the stationary member includes a plurality of stationary island parts that are spaced away from one another and are each connected to the base substrate [figure 1].

Claim 11, Aigner et al. discloses the micro-switching device according to claim 7, further comprising a second driving electrode [53, 54] connected to the stationary member and including a section facing the first driving electrode [figure 3].

Claim 12, Aigner et al. discloses the micro-switching device according to claim 7, wherein the extending part is made of monocrystalline silicon [col. 3 line 62 to col. 4 line 10].

Claims 5 and 13, Aigner et al. discloses the claimed invention except for the thickness of the contact electrode. It would have been obvious to one of ordinary skill in the art at the time the invention was made to adjust the thickness of the contact electrode to minimize signal distortion depending on the voltage and/or frequency of the signal. Since applicant has not disclosed that a contact electrode thickness of at least 5 micrometer solves any stated problem or is for any particular purpose and it appears that the invention would perform equally well as taught by Aigner et al.

Claims 6 and 14, Aigner et al. discloses the claimed invention except for the thickness of the extending part. It would have been obvious to one of ordinary skill in the art at the time the invention was made to adjust the thickness of the extending part in order to change the spring characteristic/response time/opening force [i.e. thick =

Art Unit: 2832

slower response time and greater opening force, smaller equals faster actuation time and small opening force] of the moveable part. Since applicant has not disclosed that a extending part thickness of at least 5 micrometer solves any stated problem or is for any particular purpose and it appears that the invention would perform equally well as taught by Aigner et al.

#### Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bernard Rojas whose telephone number is (571) 272-1998. The examiner can normally be reached on M-F 8-4:00), every other Friday off.

Application/Control Number: 10/710,589

Art Unit: 2832

Page 8

supervisor, Elvin G. Enad can be reached on (571) 272-1990. The fax phone number

for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

Br

**ELVIN ENAD** 

SUPERVISORY PATENT EXAMINER

1555p06